



Costruzioni Novicrom srl

Via Don Sturzo, 51:53 - 56025 Pontecora (Pisa) Tel.: +39 0587 484188 / 161 - Fax: +39 0587 484160 www.costruzioninovicrom.it - info@costruzioninovicrom.it



HIGH TECH MANUFACTURING

Prototypes Small series and pre-series Engines manufacturing Aerospace and Military components Mechanical high-tech Units assembling Supply of complete machines



1947

'60

Opening the first factory in Pontedera as mechanical workshop and protective chrome plating system.

Beginning collaboration with aerospace companies (Alfa Romeo Avio and Aeritalia)

'80

The precision mechanics becomes the core business of Costruzioni Novicrom







Factory Surface: 15000 mq

Functional Internal LayoutLean Manufacturing



STAFF



101 Employees

- ➢ 65 Highly specialized operators
- > 20 Technical department
- 7 Quality department
- 9 Administrative and Logistic





TYPES OF MANUFACTURE

Costruzioni Novicrom offers a large variety of product types and can supply a wide range of manufacturing solutions:

- Processing and/or construction of components in small and medium batches for car, motorbike, marine and aeronautical engines
- Machine tools
- Overhaul of aviation components in accordance with PART 145
- Aviation components and assemblies for the Defence
- Construction of fixtures
- Packaging machines
- Construction of prototypes
- Assembly operations





Costruzioni Novicrom has been operating for over 60 years in the precision mechanic field:

- \rightarrow High added value in design and development
- → Specialization in the mechanical machining of CAST, FORGED and SOLID components







Costruzioni Novicrom is a Landmark of ITALIAN EXCELLENCE:

AEROSPACE

DEFENCE

AUTOMOTIVE





Aeronautical and military components





Aeronautical and military components





Automotive



Formula 1 V8 Cylinder head







V12 Gearbox



SBK V4 Engine

Racing Motorbike



MotoGP V4 Billet Lower cranckcase



Certificated quality system

Certificated quality system

Qualification for Overhaul

Qualification Leonardo SPA

Qualification **GE Avio**

License for Manufacture of **Components for Defence**

UNI EN 9100:2018

UNI EN ISO 9001:2015

MOE - PART 145





The main qualifications of process for aerospace components:

✓ LIQUID PENETRANT INSPECTION



- ✓ ASSEMBLING THERMAL FITS
- ✓ CHROMATE TREATMENTS OF MAGNESIUM ALLOYS
- ✓ LOCATED CHROMATE CONVERSION TREATMENT OF ALUMINIUM ALLOYS
- ✓ PRESSURE TEST
- ✓ CLEANLINESS CHECK

TECHNICAL DEPARTMENT



Technical Department:

- CAD 3D Catia V5
- CAM Open Mind Hyper Mill
- Detailed working cycles
- Step by step operative instructions (what and how)
- Step by step multilevel controls
- 100% checking with balloned quotes









<u>5 AXIS Department</u>:

- ➢ n.9 Machines
- Temperature Controlled Room
- High flexibility production
- Complex geometry
- Few placements
- Constant investment









LIST OF MACHINES

TMC=Tools Magazine Capacity TCR=Temperature Controlled Room

Name	X (mm)	Y (mm)	Z (mm)	Year	ТМС	TCR
DMG Mori DMC 160U	1600	1600	1100	2019	186	✓
DMG Mori DMC 125U	1250	1250	1000	2018	186	\checkmark
HERMLE C1200U	1200	600	300	2001	30	✓
MIKRON HPM 1000U	1000	800	600	2007	250	\checkmark
DMG Mori DMC 85	935	850	650	2015	90	✓
DMG Mori DMC 85	935	850	650	2021	120	✓
MIKRON UCP 800	800	650	500	2007	30	✓
HERMLE C800U	800	450	300	1999	30	✓
MIKRON HSM 600U	800	600	500	2006	50	✓



CNC – 4 AXIS

4 AXIS Department:

- n.8 Machines
- High pressure coolant circuit
- High number of tools
- Multi palletized machines
- Reduction of setup time







TMC=Tools Magazine Capacity

LIST OF MACHINES

Name	X (mm)	Y (mm)	Z (mm)	Year	ТМС	Pressure (bar)
DIXI DHP 80	1180	1090	1080	2002	200	70
CNS CNC KMV16	1600	815	815	2018	30	15
MAZAK FH-8800	1300	1100	1000	2004	240	40
MAZAK H-800	1250	1000	850	1995	80	40
MAZAK FH-6800	1050	800	880	2001	150	40
MAZAK H-630 N	1000	800	750	1997	120	15
HITACHI HG-630	900	800	710	1992	120	40
MAZAK FH-480	560	560	510	1995	90	15

BORING MACHINES



Boring Machines Department:

- > n.6 Machines
- Vertical and horizontal spindle
- Temperature Controlled Room
- High structural precision
- Extremly precise machining
- Accuracy 5 microns











LIST OF MACHINES

TMC=Tools Magazine Capacity TCR=Temperature Controlled Room

Name	X (mm)	Y (mm)	Z (mm)	CNC	5 AXES	ТМС	TCR
SIP 8000	1600	900	950	✓	~	80	✓
SIP 4000	1500	1000	600	✓	✓	140	✓
DIXI 350	800	920	1200	~	✓	100	✓
SIP 640	1000	700	1000	✓	-	1	✓
SIP HYDROPTIC 6-A	1000	700	500	-	-	1	✓
DIXI 75	800	800	800	-	-	1	✓





CNC Mill Turn Department:

- ➤ n.3 CNC Mill Turn Machines
- Multi-tasking
- Multi axis
- Constant investment







TMC=Tools Magazine Capacity

LIST OF MACHINES

Name	X (mm)	Y (mm)	Z (mm)	Ø (mm)	Spindle (mm)	Year	ТМС
DMG CTX Gamma 2000 TC	1250	400	2000	720	315	2011	36
DMG CTX Beta 2000 TC	650	300	2050	720	400	2019	50
DMG CTX Beta 1250 TC	490	250	1300	415	315	2017	80

CNC - TURNING



CNC Turning Department:

- > n.8 CNC Turning Machines
- Temperature Controlled Room
- High precision machining







TCR=Temperature Controlled Room

LIST OF MACHINES

Name	X (mm)	Y (mm)	Z (mm)	Ø (mm)	Spindle (mm)	Year	TCR
HYUNDAI L600 MA	800	-	1600	920	800	2019	-
DMG CTX G 3000	495	160	3050	700	500	2017	✓
CNS VT 36 2000	385	-	1960	630	380	2018	-
DMG Ecoturn 650	412	-	1150	600	315	2019	✓
DMG Ecoturn 650	412	-	1150	600	315	2015	-
HITACHI NR 1742	180	-	340	165	240	1990	✓





<u>Wire EDM (Electro Discharge Machining):</u>

- Agie Charmilles CUT30P
- Dimensions of 1050x800x350mm
- High precision machining
- Shape hard to create with conventional machines



GRINDING



Grinding Department:

- Flat machining
- Round machining
- Internal and external surfaces
- Traditional and semiautomatic











Traditional Machining Department:

- > n.6 traditional milling machines
- n.5 traditional drilling machines
- n.6 traditional turning machines





SHARPENING AND PRESETTING



Sharpening department:

- ➢ 6 axis machine
- Design and construction of special tools
- > Integral bar hard metal in complex shape









Metrology department:

- ➤ n.5 CMM ZEISS
- Maximum dimensions 1600x2400x1000
- Temperature and humidity controlled room
- Calypso Software with direct import from Catia V5 DMFG
- Profile and roughness
- Metrology lab with SIP instruments calibration bench









NDT – Fluorescent Penetrant Inspection

FPI department:

- NADCAP certification for NDT
- Tanks system implant (300x300x300)
- Electrostatic spray cabin (1500x1500x1500)





HEAT TREATMENT



Heat Treatment department:

- > n.3 pit furnaces
- Case hardening
- > Tempering
- > Quencing
- Normalizing
- > Annealing
- Stress relieving

P (kW)	Ø (mm)	Depth (mm)	Max Temp (°C)
80	1300	700	1300
64	680	1700	900
26	440	900	900





TEST FACILITIES

Oil pressure test facility:

- ➤ n.4 channels
- ➢ Range 1÷60 bar
- > Test report

REPORT PROVA PRESSIONE DLIO

Construction: Construc	Mard
Original Backson 1 Time Span In Lett. 10 Band Train 1.08.19.05.48.25 Start Time Train 1.08.19.05.48.25 Start Time Train 1.08.19.05.48.25 Start Time Train 0.0007 accomt 0.0007 OUMM XF Shownays prop. project 1.08.19.05.48.25 Links.19.05.46.25 48.06 Links.19.05.46.25 48.06 Links.19.05.46.25 48.06	Mard
Light Control Light Control Multi Travis Light Control Multi Travis Light Control Start Trave Start Trave S	Mari
100 100 <td>Marc</td>	Marc
Den Time Tile: Llos 19 05 40 05 Den Time Tile: Llos 19 05 40 05 Den Die Crom 50000 access DOMM 27 Stransvorg prog proget Llos 19 05 40 05 40 01 Llos 19 05 40 05 40 01 10 05 19 05 40 05 40 17	Mard
Solar Unit Tel: LLOND D 05 MLD Disp Time LLOND D 05 MLD Tample Count S0000 Access COUMD /F Minamovito press proved LLOND 05 Access 4412 4014 6 LLOND 05 Access 4412 4017 30	Mard
000 0000 1000 0000 notest 000M1/f Stransystypes.prosel 11.05.12.09/0.45 4017 45.7 30	Mari
Sample count Sacon QOUMM AF Simmarks pres prosed ELOS.10.05.452.05 40.01 ELOS.10.05.452.05 40.01	Marid
00MM/#18hmmavas_pres_preset ni.om.ht.ck.ex.c5 4010 40.00 0 11.05.12.05/35.45 4017 45.07 20	Marit
11.0%.13.0%.9%.25 40.18 40.46 H 11.0%.12.0%.9%.45 4017 45.17 20	Marit
11 05 32 07 33 45 40 17 41 47 20	MORT
THE PROPERTY AND A DECIMARY A	
11.05.15.25:44.05 49.15 46.65 40	
11.05.12.05-44.25 40.15 45.65 60	
11.05.1105.44.45 4313 40.07 80	
11.05.19.05-45.05 4518 4511 100 44	
11.05.11.01-45.25 4013 stat un	
\$1.06.19.00-MLR) #51.2 #3.0 ML	
\$1.05.15.09:46:05 49:12 41.11 180	
11.00.13.09.00.20 drin etti ino 21.	
11.05.19 29.45.39 4511 4611 380 50	
ALIEND CRANIC AND ADD DO	
11 05 15 05 47.25 4310 48.51 240 #	
11.00.15.09.40/40 4012 40.01 280 2 _	
11.05.19.05.05 4510 45.0 200 1	
11.05.12.05-46.25 45:00 46:00 500 Tor	
11.05.19.29.48.49 4609 (4.9) 830	
11.06.12.0540/05 4001 400 940 **	
31.04.18.04-05.28 \$109 \$1.04 340	
11.05.1319-0.45 4000 45.M 580	
HAAAAA	8.8.8.0.
11 0 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	东东 庄 臣
81.03.10 CF(30.45) 4900 4001 4000 40	
31.0%.15.05.05 4507 45.81 460	
31.05.1519:51.25 4007 45.07 400 ***	
11.05.15 (25.01.45 4507 45.07 560 at	
11.05.17.08:52.05 4007 4L01 530	
31,05,12 (5,52,2) 4507 4531 540 =	
11.05.1019/52.45 4001 40.65 Hep *******	1111
11.08.18 09:58.08 49:08 49:09 49:09 580	
11.05.13 (9:53.25 4004 40.04 40.04 400	









TEST FACILITIES



Duct washing system Oil passages and orifices cleaning

10 µ filter



High resolution Fiberscopes





TEST FACILITIES



Cleanliness check facility:

- Debris weight
- Hard particles size
- Hard particles shape













Helicopter case lower assy



Engine impeller



V12 Cylinder head



Helicopter support oil level



Helicopter support variable pitch



Engine Carrier Planetary Gears







Helicopter Case Output



Transmission carter



Idraulic damper assy



Transmission Case

Helicopter Input pinion









THANK YOU